

HPD UNIQUE IDENTIFIER: 27661

CLASSIFICATION: 10 26 23.13 Impact Resistant Wall Protection

PRODUCT DESCRIPTION: Formica® HardStop™ Decorative Protection Panels offer a worry-free solution for high-performance wall panels by blending ease of installation and premium impact resistance with a full range of design selections that coordinate perfectly with other Formica® laminates. Unlike traditional laminate that contains a paper core, HardStop™ features a fiberglass core for added durability and strength.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities, and screening options (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE HARDSTOP DECORATIVE PROTECTION PANEL [ ALUMINA TRIHYDRATE BM-2 | RES FORMALDEHYDE, MELAMINE POLYMER, METHYLATED LT-UNK PHENOL FORMALDEHYDE LT-P1 | RES CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK CELLULOSE PULP NoGS ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Hardstop ingredients are tightly controlled and incoming raw materials are QCed. It is tested for total VOC and Formaldehyde gas.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #:

SCREENING DATE: 2022-02-22

PUBLISHED DATE: 2022-02-22 EXPIRY DATE: 2025-02-22

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpdc-collaborative.org/hpd-2-2-standard](http://www.hpdc-collaborative.org/hpd-2-2-standard)

### HARDSTOP DECORATIVE PROTECTION PANEL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw materials are described by percentages. SDS for each material is obtained and an SDS was developed for the Harsdstop product. Product construction is adhered to a tight quality control standards. Typical residual gases can evolve as VOC as a formaldehyde thus product has been tested by UL environment and has passed Greenguard Gold standards for Wall Surface. In fact test results showed a BQL or Below Quantifiable Level

OTHER PRODUCT NOTES: Hardstop was tested for VOCs and Formaldehyde and meets Greenguard Gold

#### ALUMINA TRIHYDRATE

ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-02-22 17:13:11

#: 60.0000 - 68.0000 GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: ATH is derived from a naturally occurring mineral called Bauxite which is used to smelt aluminum

#### FORMALDEHYDE, MELAMINE POLYMER, METHYLATED

ID: 68002-20-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-02-22 17:13:11

#: 10.0000 - 14.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Used to saturate decorative and protective surface sheets prior to pressing and curing operation.

#### PHENOL FORMALDEHYDE

ID: 9003-35-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-02-22 17:13:12

#: 8.0000 - 12.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Used to saturate fiber glass cloth prior to pressing and curing operation

#### CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-02-22 17:13:12</b>	
%: <b>5.0000 - 9.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Provides structural and fire resistant properties			

**CELLULOSE PULP**

ID: **65996-61-4**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-02-22 17:13:13</b>	
%: <b>5.0000 - 9.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Used to impart design and protective surface layer			

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

GreenGuard - Gold (previously Children & Schools)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-10-

EXPIRY DATE:

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Evendale Ohio

17

Environment-Greenguard

CERTIFICATE URL:

<http://www.formica.com/en/us/landing-pages/sustainability-2017/sustainability17/emissions-and-greenguard>

CERTIFICATION AND COMPLIANCE NOTES: Passed Greenguard Gold under the Wall scenario for office space. TVOCs < 0.003 mg/m<sup>3</sup>  
Formaldehyde < 0.002 ppm Total Aldehydes < 0.002 ppm

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### FRP ADHESIVE

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

To attach Hardstop panels to walls

## Section 5: General Notes

Formica® HardStop™ Decorative Protection Panels offer a worry-free solution for high-performance wall panels by blending ease of installation and premium impact resistance with a full range of design selections that coordinate perfectly with other Formica® laminates.

Unlike traditional laminate that contains a paper core, HardStop™ features a fiberglass core for added durability and strength.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Formica  
**ADDRESS:** 10155 Reading Rd  
 Cincinnati ohio 45241, USA  
**WEBSITE:** formica.com

**CONTACT NAME:** Dave Swenson  
**TITLE:** Sales Tech Services  
**PHONE:** 513 786 3536  
**EMAIL:** dave.swenson@formica.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*