


# Formica® Collection Woods







F1004  
Pale Ash



F9229  
Dark Sky Birchply

F8845  
Bleached Legno







# Woods



F8576 MAT  
Blond Cedar



F1004 NAT  
Pale Ash



F8579 NAT  
Belvedere Beech



F8580 PGN  
Satin Oak



F1549 MAT  
Tromso Maple



F3855 MAT  
Clear Maple



F2726 MAT  
Natural Beech



F0190 MAT  
Finn Beech



F8902 PGN  
White Painted  
Wood



F8577 NAT  
Fjord Elm



F8841 MAT/NAT  
White Ash



F6305 MAT  
Limed Strand



F1079 NAT  
Natural Oak



F7555 MAT  
Manitoba Maple



F8578 NAT  
Sund Elm



F8843 MAT/NAT  
Natural Ash



# Woods



F8585 LNW  
Evergreen Oak



F8844 NAT  
Aged Ash



F7921 MAT  
Birch



F6930 NAT  
Natural Cane



F5374 MAT/NAT  
Elegant Oak



F5147 MAT  
Sombre Walnut



F3699 NAT  
Rattan Cane



F6149 MAT  
Light Oak



F5486 MAT  
Classic Walnut




F2884 MAT  
Vosges Pear




F1139 MAT  
Country Cherry




F1293 MAT  
Redwood



F5883 MAT/NAT  
Peacan Woodline



F5372 MAT  
Vintage Wood



F8853 MAT/PGN  
Rural Oak



F5887 PGN  
Millenium Oak



F7603 MAT  
Bio-Oak



F5370 MAT  
Ivory Oak Cross



F1062 NAT  
Smoked Oak



F5483 LNW  
Mocca Firwood



F8583 NAT  
Carpentry Oak



F8584 NAT  
Quercus Beige


# Woods



F1548 MAT  
Mocha Cedar




F5782 NAT  
Formal Walnut



F6926 MAT  
Smoky Walnut  
Woodline



F5884 MAT  
Chestnut Woodline




F8847 MAT/NAT  
Jarrah Legno




F5487 MAT  
Oiled Walnut



F8849 MAT  
Natural Teak



F6932 NAT  
Macciato Walnut



F5150 MAT  
American Walnut




F9012 NAT  
Ebony



F1614 MAT  
Punga Punga  
Wood




F5373 MAT  
Nocturne Wood




F6306 MAT  
Wenge Strand



F6209 MAT  
Prestige Walnut



F5489 NAT  
Espresso Pear



F8589 PGN  
Tula Oak



F5872 NAT  
Refined Walnut



F8581 NAT  
Quercus Marron

# Woods



F8586 MAT  
Cetina Walnut



F8570 NAT  
Flute Oak



F8587 MAT  
Peruca Walnut



F8588 MAT/PGN  
Nevada Oak



F8845 NAT  
Bleached Legno



F5873 NAT  
Ventura Oak




F8006 MAT/NAT  
Avignon Walnut



F8839 MAT  
Ashen  
Ribbonwood



F0873 MAT  
Ebony  
Ribbonwood




F6307 MAT  
Burnt Strand



F5488 NAT  
Smoky Brown Pear



F8575 NAT  
Dark Ash



F8851 MAT/LNW  
Classic Wenge



F5477 MAT  
Ebony Oak Cross



F1547 MAT  
Noir Cedar



F8848 MAT/NAT  
Blackened Legno

# Woods



F9484 PGN  
Oxidised  
Beamwood




F6410 PGN  
Weathered  
Beamwood



F9480 PGN  
Salvage  
Planked Elm



F6477 PGN  
Seasoned  
Planked Elm



F6372 NAT  
White Washed  
Birchply



F8910 NAT  
Raw Birchply



F8552 NAT  
Black Birchply




F8911 NAT  
Green Slate  
Birchply




F9229 NAT  
Dark Sky  
Birchply


# Colors with Wood finish




F0949 LNW/NAT  
White



F1040 LNW/NAT  
Alpino



F7912 LNW/NAT  
Storm




F2253 LNW/NAT  
Diamond Black

# Surface finishes



Linewood

LNW



Matte58

MAT



Natural

NAT



Puregrain

PGN

# Sheet layouts



**F8576**  
Blond Cedar



**F1004**  
Pale Ash



**F8579**  
Belvedere Beech



**F8580**  
Satin Oak



**F1549**  
Tromso Maple



**F8578**  
Sund Elm

# Sheet layouts




**F8902**  
White Painted Wood



**F8577**  
Fjord Elm



**F8841**  
White Ash



**F6305**  
Limed Strand



**F1079**  
Natural Oak



**F8843**  
Natural Ash

# Sheet layouts



**F7555**  
Manitoba Maple



**F3855**  
Clear Maple



**F2726**  
Natural Beech



**F0190**  
Finn Beech



**F8585**  
Evergreen Oak



**F8844**  
Aged Ash



# Sheet layouts



**F7921**  
Birch



**F3699**  
Rattan Cane



**F6149**  
Light Oak



**F5486**  
Classic Walnut



**F2884**  
Vosges Pear




**F1139**  
Country Cherry

# Sheet layouts



**F1293**  
Redwood



**F5883**  
Pecan Woodline



**F5372**  
Vintage Wood



**F8853**  
Rural Oak



**F5887**  
Millenium Oak



**F7603**  
Bio-Oak

# Sheet layouts



**F5370**  
Ivory Oak Cross



**F1062**  
Smoked Oak



**F5483**  
Mocca Firwood



**F8583**  
Carpentry Oak



**F8584**  
Quercus Beige



**F1548**  
Mocca Cedar

# Sheet layouts



F5782  
Formal Walnut



F6926  
Smoky Walnut Woodline




F5884  
Chestnut Woodline



F8847  
Jarrah Legno



F9012  
Ebony



F1614  
Punga Punga Wood

# Sheet layouts



F5487  
Oiled Walnut



F8849  
Natural Teak



F6932  
Macchiato Walnut



F5150  
American Walnut



F5373  
Nocturne Wood



F6306  
Wenge Strand

Woodgrain sheet layouts shown on this page are provided for guidance and represent a 3050x1300mm design area only.

# Sheet layouts



F6209  
Prestige Walnut




F5489  
Espresso Pear



F8589  
Tula Oak



F5872  
Refined Walnut



F8581  
Quercus Marron



F8586  
Cetina Walnut

# Sheet layouts



F8570  
Flute Oak



F8587  
Peruca Walnut



F8588  
Nevada Oak



F8845  
Bleached Legno



F5873  
Ventura Oak



F8575  
Dark Ash

# Sheet layouts



F1547  
Noir Cedar



F8839  
Ashen Ribbonwood



F8006  
Avignon Walnut



F0873  
Ebony Ribbonwood



F8848  
Blackened Legno



F6307  
Burnt Strand



# Sheet layouts



**F5477**  
Ebony Oak Cross



**F5488**  
Smoky Brown Pear



**F8851**  
Classic Walnut



**F9484**  
Oxidized Beamwood



**F6410**  
Weathered Beamwood




**F9480**  
Salvage Planked Elm

# Sheet layouts



**F6477**  
Seasoned Planked Elm



**F6372**  
White Washed Birchply



**F8910**  
Raw Birchply



**F8911**  
Green Slate Birchply



**F9229**  
Dark Sky Birchply



**F8552**  
Black Birchply

# Product grades, finishes and accreditations.

This Collection incorporates the following grades of decorative laminate each with its own performance characteristics.

These grades conform to EN438.



## Formica® Laminate

**Sheets (thin) consisting of layers of wood-based fibers impregnated with thermosetting resins and a surface décor on one side**

**Grade:** HPL/EN 438-3 HGP: Horizontal, General Purpose, Postforming high pressure decorative laminate

HPL/EN 438-3 HGS: Horizontal, General Purpose, Standard high pressure decorative laminate

**Thickness:** 0.7 mm (nominal), single sided

**Additional flame retardant grades are available on request (please check for available options)**



## Formica® Compact

**Sheets (thick) consisting of layers of wood-based fibers impregnated with thermosetting resins and surface décor on one or both sides**

**Grade:** HPL/EN 438-4 CGS: Compact, General Purpose, Standard high pressure decorative laminate

**Thickness:** Single sided 2, 2.5, 3 mm / Double sided 4, 6, 8, 10, 12, 13, 16, 18, 20 mm

**Additional flame retardant grades are available on request (please check for available options)**

Product data sheets, including applicable fire rating, can be accessed on [formica.info](http://formica.info)

### Available surface finishes and recommended applications

Surface Finish Description	Surface Finish Designation	Code	Recommended applications	
			Horizontal (& Vertical), General purpose	Vertical and Light-duty horizontal
Linewood	LNW	LW	•	
Matte 58	MAT	58	•	
Naturelle	NAT	NT		•
Puregrain	PGN	35	•	

# Woods

## Sheet size (mm)

3050x1300 2150x950 2350x950 2350x1300 3660x1525

Code	Décor	NCS®	RAL Classic	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F0190	Finn Beech	-	-	40.8	MAT	MAT	MAT	MAT	
F0873	Ebony Ribbonwood	-	-	9.1	MAT	MAT	MAT	MAT	
F0949	White	S 0502-R50B	9003	81.5	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	
F1004	Pale Ash	-	-	62.1	NAT	NAT	NAT	NAT	
F1040	Alpino	S 0502-G50Y	9010	86.9	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	
F1062	Smoked Oak	-	-	31.7	NAT				
F1079	Natural Oak	-	-	49.0	NAT	NAT	NAT	NAT	
F1139	Country Cherry	-	-	21.0	MAT				
F1293	Redwood	-	-	12.7	MAT	MAT	MAT	MAT	
F1547	Noir Cedar	-	-	10.3	MAT	MAT	MAT	MAT	MAT
F1548	Mocha Cedar	-	-	28.8	MAT	MAT	MAT	MAT	MAT
F1549	Tromso Maple	-	-	54.9	MAT	MAT	MAT	MAT	
F1614	Punga Punga Wood	-	-	8.0	MAT	MAT	MAT	MAT	
F2253	Diamond Black	S 9000-N	9011	6.7	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	
F2726	Natural Beech	-	-	55.5	MAT	MAT	MAT	MAT	
F2884	Vosges Pear	-	-	25.2	MAT	MAT	MAT	MAT	
F3699	Rattan Cane	-	-	23.7	NAT				
F3855	Clear Maple	-	-	52.2	MAT	MAT	MAT	MAT	
F5147	Sombre Walnut	-	-	14.1	MAT				
F5150	American Walnut	-	-	14.6	MAT				MAT
F5370	Ivory Oak Cross	-	-	43.8	MAT	MAT	MAT	MAT	
F5372	Vintage Wood	-	-	25.2	MAT	MAT	MAT	MAT	
F5373	Nocturne Wood	-	-	14.7	MAT	MAT	MAT	MAT	
F5374	Elegant Oak	-	-	35.0	MAT/NAT	MAT/NAT	MAT/NAT	MAT/NAT	MAT
F5477	Ebony Oak Cross	-	-	11.4	MAT	MAT	MAT	MAT	
F5483	Mocca Firwood	-	-	32.0	LNW	LNW	LNW	LNW	
F5486	Classic Walnut	-	-	30.5	MAT	MAT	MAT	MAT	
F5487	Oiled Walnut	-	-	18.6	MAT				
F5488	Smoky Brown Pear	-	-	14.8	NAT	NAT	NAT	NAT	
F5489	Espresso Pear	-	-	9.8	NAT				
F5782	Formal Walnut	-	-	16.1	NAT	NAT	NAT	NAT	
F5872	Refined Walnut	-	-	11.0	NAT	NAT	NAT	NAT	
F5873	Ventura Oak	-	-	32.4	NAT	NAT	NAT	NAT	
F5883	Pecan Woodline	-	-	27.4	MAT/NAT	MAT	MAT	MAT	
F5884	Chestnut Woodline	-	-	13.9	MAT				
F5887	Millennium Oak	-	-	26.7	PGN	PGN	PGN	PGN	
F6149	Light Oak	-	-	29.0	MAT	MAT	MAT	MAT	
F6209	Prestige Walnut	-	-	8.8	MAT				
F6305	Limed Strand	-	-	66.7	MAT				
F6306	Wenge Strand	-	-	11.0	MAT				
F6307	Burnt Strand	-	-	15.1	MAT				
F6372	White Washed Birchply	-	-	69.4	NAT				
F6410	Weathered Beamwood	-	-	35.4	PGN				

Code	Décor	NCS®	RAL Classic	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F6477	Seasoned Planked Elm	-	-	24.9	PGN				
F6926	Smoky Walnut Woodline	-	-	22.3	MAT				
F6930	Natural Cane	-	-	49.1	NAT	NAT	NAT	NAT	
F6932	Macchiato Walnut	-	-	15.8	MAT/NAT	MAT	MAT	MAT	MAT
F7555	Manitoba Maple	-	-	62.0	MAT				
F7603	Bio-Oak	-	-	43.0	MAT	MAT	MAT	MAT	
F7912	Storm	S6502-B	7015	14.8	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	
F7921	Birch	-	-	52.2	MAT	MAT	MAT	MAT	
F8006	Avignon Walnut	-	-	35.4	MAT/NAT	MAT	MAT	MAT	
F8552	Black Birchply	-	-	8.8	NAT	NAT	NAT	NAT	
F8570	Flute Oak	-	-	42.3	NAT				
F8575	Dark Ash	-	-	11.2	NAT	NAT	NAT	NAT	
F8576	Blond Cedar	-	-	54.4	MAT	MAT	MAT	MAT	
F8577	Fjord Elm	-	-	60.5	NAT				
F8578	Sund Elm	-	-	47.4	NAT				
F8579	Belvedere Beech	-	-	50.6	NAT	NAT	NAT	NAT	
F8580	Satin Oak	-	-	45.0	PGN				
F8581	Quercus Marron	-	-	13.6	NAT				
F8583	Carpentry Oak	-	-	38.6	NAT	NAT	NAT	NAT	
F8584	Quercus Beige	-	-	37.0	NAT				
F8585	Evergreen Oak	-	-	31.3	LNW	LNW	LNW	LNW	
F8586	Cetina Walnut	-	-	27.9	MAT	MAT	MAT	MAT	
F8587	Peruca Walnut	-	-	42.6	MAT	MAT	MAT	MAT	
F8588	Nevada Oak	-	-	30.6	MAT/PGN	MAT/PGN	MAT/PGN	MAT/PGN	MAT
F8589	Tula Oak	-	-	12.9	PGN	PGN	PGN	PGN	
F8839	Ashen Ribbonwood	-	-	43.0	MAT	MAT	MAT	MAT	
F8841	White Ash	-	-	69.7	MAT/NAT	MAT	MAT	MAT	
F8843	Natural Ash	-	-	53.3	MAT/NAT	MAT	MAT	MAT	
F8844	Aged Ash	-	-	38.9	NAT	NAT	NAT	NAT	
F8845	Bleached Legno	-	-	21.8	NAT				
F8847	Jarra Legno	-	-	11.5	MAT/NAT	MAT	MAT	MAT	
F8848	Blackened Legno	-	-	8.0	MAT/NAT	NAT	NAT	NAT	
F8849	Natural Teak	-	-	15.5	MAT				
F8851	Classic Wenge	-	-	9.4	LNW/MAT	LNW	LNW	LNW	
F8853	Rural Oak	-	-	32.9	PGN/MAT	PGN	PGN	PGN	MAT
F8902	White Painted Wood	-	-	73.6	PGN				
F8910	Raw Birchply	-	-	48.5	NAT	NAT	NAT	NAT	
F8911	Green Slate Birchply	-	-	19.1	NAT				
F9012	Ebony	-	-	9.6	NAT	NAT	NAT	NAT	
F9229	Dark Sky Birchply	-	-	15.2	NAT				
F9480	Salvage Planked Elm	-	-	24.4	PGN				
F9484	Oxidized Beamwood	-	-	17.5	PGN				

### General

The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit [formica.com](http://formica.com), or [formica.info](mailto:formica.info) for technical data, as the most up-to-date source of information.. Not all certifications stated are applicable or available for all Formica® products. Please check that the product you require is covered by a relevant certification or is suitable for your specific application, in advance of order placement.

### Colour system notations

NCS® and RAL Classic notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. NCS and RAL Classic notations provided have been established from a standard matt laminate sample. Please note that different surface finishes (texture structure and gloss levels) can have an effect on colour perception. When exact colour information is required, or for cross-material matching (HPL to other materials), please always refer to an actual laminate sample in the specified finish.

### Light Reflectance Value

Light Reflectance Value (LRV) is a value indicating the proportion of light reflected by a colour, when measured under standard daylight conditions. This guidance uses a scale of 0-100, where 0 = black and therefore total light absorption, whereas white = 100 and therefore total light reflection. The main purpose of this value is to indicate measured colour contrast between two surfaces, which need to be readily distinguishable within an environment (under static conditions, a difference of 30 units between two colours is considered adequate). LRVs stated may or may not be exact and are provided for guidance only.

### Please note

For non-solid colour decors, where there are multiple colours across the design, the stated LRV is an average value taken from multiple measurements across the décor and must be used with caution. The individual colours in a pattern, woodgrain or stone design can differ more than 30 LRV units within the design itself.

